
#### NH Route 103 Alternatives Evaluation





Presented to:

Town of Warner November 3, 2008 Presented by:

Hoyle, Tanner

### **Presentation Outline**

- > Introduction and Purpose
- > Existing Conditions
  - Physical Layout
  - Traffic and Accidents
  - · Existing Traffic Operations
- > Proposed Improvements
  - · Alternative 1A Stop Control @ Market Basket
  - Alternative 1B Traffic Signal @ Market Basket
  - Alternative 2 Roundabout @ Market Basket
    SB On-Ramp Reconfiguration
- > Construction Cost Estimate



> Q & A



# Introduction and Purpose

- Evaluate and advance concepts from "NH 103 Access Management Study"
- Prepare submission to NHDOT as part of application for funding assistance under the Municipally Managed State Highway Aid Program




Hoyle, Tanner

# Study Area





# **Existing Condition**







# **Existing Conditions**

#### > PHYSICAL LAYOUT

- Approx. 3000' Study Area along NH 103
- · NHDOT maintained arterial with 35 mph speed limit
- Min. 44' pavement width with two 12' travel lanes and variable 4'-10' shoulders
- Left turn pockets at I-89, Market Basket Plaza, and the Citgo Drive
- Stop controlled intersections at drives and side streets
- · Pavement appears to be in good shape
- · Commercially developed with future potential
- · Large NHDOT Right of Way





# **Existing Conditions**

#### > CHALLENGES TO THE CURRENT DESIGN

- Many closely spaced driveways between I-89 and North Road
- Multiple Access/Egress points from Citgo and the Park and Ride
- Lack of storage space, no striping, and wide driveways along the Market Basket Plaza driveway
- Difficult internal circulation on Citgo parcel
- · Minimal pedestrian and bicycle accommodations
- The speed differential at I-89 SB On slip-ramp





# **Existing Conditions**

#### > Traffic Volumes

- Based on 2005 Access Management Study counts
- 8000 vpd (2007 NHDOT count)
- Heavy EB left and SB right turns to and from Market Basket Plaza

#### > Accidents

- Provided by NHDOT Bureau of Planning
- · Approx. 8 accidents per year within study area
- · 137% of Statewide crash rate average



Hoyle, Tanner Associates, Inc. figher ther

# **Existing Conditions**

- > Existing Traffic Operations
  - · Plaza Drive: LOS F, long delays and queuing
  - I-89 Ramps: LOS C and D, slight delay and queuing
  - · North Road: LOS B, minimal delay and queuing
- Signal Warrants Analysis
  - Four-Hour warrant for justifying a traffic signal may be met at Market Basket Plaza intersection
  - · Data is indeterminate for Crash warrant
  - Should be re-evaluated during the design process





# **Proposed Improvements**

- > Goals:
  - · Increase traffic channelization
  - · Reduce conflict points
  - Add turn lanes to improve major/minor road operations
  - · Realign access points to oppose
- Three Alternatives for improvements East of the I-89 interchange
- SB On-ramp reconfiguration West of the I-89 interchange




#### > General:

- Continue to provide 2 12' lanes and 4' min. shoulders
- · Provide left turn pockets at all median breaks
- · Construct 6' wide raised concrete median
- Minor realignment of the Market Basket and Citgo drives
- Align Park and Ride drive with proposed shopping plaza drive
- Close secondary Park and Ride drive
- Restrict secondary Citgo drive to right in/out



Hoyle, Tanner

#### Alternative 1A - Stop Control @ Plaza Drive





Hoyle, Tanner

LOS = level of service

### **Proposed Improvements**

#### Alternative 1A - Stop Control @ Plaza Drive

- > Future Traffic Operations (2010/2020)
  - · Continued LOS F at Plaza SB, long delay and queuing
  - I-89 Ramp approaches nearing capacity by 2020
  - North Road and Park and Ride drives operating at good LOS

#### > PROS:

- · Reduces conflict points
- Provides Left turn pockets
- · Easily upgraded to traffic signal
- · Cheaper than traffic signal
- · Minimal impact to NH 103 operations


#### > CONS:



- No improvement to Plaza delay and queuing
- · No improvement to left turning safety to/from Plaza

Hoyle, Tanner Associates, Inc.

#### Alternative 1B - Traffic Signal @ Plaza Drive





Hoyle, Tanner


#### Alternative 1B - Traffic Signal @ Plaza Drive

- > Construct 3-phase signal and WB right turn lane
- > Future Traffic Operations (2010/2020):
  - · Plaza drive @ LOS C out to 2020, moderate SB queue
  - · Large EB LT queue at Plaza Drive by 2020
- > PROS
  - Reduces SB queue
  - · Improves left turning safety to/from Plaza
  - · Consistent with commercial traffic control measures
  - · Can be coordinated with additional future signals
- SIACO ...
  - · Adds delay to EB/WB thru movements
  - · Most costly alternative





#### Alternative 2 - Roundabout @ Plaza Drive








#### Alternative 2 - Roundabout @ Plaza Drive

- > Construct 115' diameter Roundabout
- > Future Traffic Operations (2010/2020):
  - Roundabout functions at LOS A with minimal queue and delay thru 2020
- > PROS:
  - Minimal Delay (LOS A)
  - · Allows for U-turns
  - · Eliminates left turn storage need
  - · Can be coordinated with additional future signals
- > CONS:
  - · Inconsistent with corridor traffic control measures
  - · Approach speeds on NH 103
  - · Difficult to increase capacity in future
  - · Complicated geometry with close driveways





### SB On-Ramp Reconfiguration







SB On-Ramp Reconfiguration

- Reconstruct SB On-ramp as a parallel decel-lane and change to an EB yield condition
- Provide left turn pocket for Hudson Lane subdivision



Hoyle, Tanner

# **Associated Design Considerations**

- No new sidewalk construction, provide pedestrian signals if traffic signal is constructed
- > Minor utility impacts
- No ROW takings, construction easements needed for some driveway work
- > Possible 100 year flood plain impact
- > Stormwater BMP's due to increased pavement area



Assist - 22 (016)

### **Construction Cost Estimates**

- > Estimate Assumptions:
  - Step box widening matching existing materials
  - 20% drainage line item
  - Cold plane/overlay of existing pavement surfaces, if not required could remove up to \$130,000
- > Alternative 1A Stop Control = \$1,220,000
- > Alternative 1B Traffic Signal = \$1,370,000
- Alternative 2 Roundabout = \$1,130,000
- ➤ SB On-Ramp Reconfiguration = \$320,000



Hoyle, Tanner

### **Questions & Answers**

